

# Contents

*Preface*    *vii*

*Acknowledgments*    *ix*

*About Examples*    *xi*

## **Chapter 1 Hello Java CAPS World    1-1**

- 1.1 Chapter Contents    1-1
- 1.2 Introduction    1-1
- 1.3 Assumptions    1-2
- 1.4 Problem Outline    1-2
- 1.5 Physical Environment    1-3
- 1.6 Preliminaries    1-6
- 1.7 Sun SeeBeyond eGate Logical Implementation    1-7
  - 1.7.1 Create the Solution
  - 1.7.2 Connectivity Map
  - 1.7.3 Deployment
  - 1.7.4 Execution
  - 1.7.5 Monitoring
  - 1.7.6 Undeploy
  - 1.7.7 Discussion
    - 1.7.7.1 Rationale behind the Sample
    - 1.7.7.2 Use of File eWay
    - 1.7.7.3 Use of EIP Concepts
- 1.8 Sun SeeBeyond eInsight Logical Implementation    1-23
  - 1.8.1 Create the Solution
  - 1.8.2 Connectivity Map
  - 1.8.3 Deployment
  - 1.8.4 Execution
  - 1.8.5 Monitoring
  - 1.8.6 Discussion
    - 1.8.6.1 Rationale behind the Sample
    - 1.8.6.2 Use of File eWay
    - 1.8.6.3 Use of EIP Concepts
- 1.9 Chapter Summary    1-34

## **Chapter 2 Message Exchange Patterns    2-1**

- 2.1 Chapter Contents    2-1
- 2.2 Event Message using Scheduler    2-2
- 2.3 Request/Reply    2-6
  - 2.3.1 JMS Request/Reply Invoker for eInsight
  - 2.3.2 JMS Request/Response Auction Pattern

- 2.3.3 HTTP Request/Response
- 2.3.4 SOAP Request/Response
- 2.3.5 Web Service Request/Reply
- 2.4 Message Sequence 2-48
  - 2.4.1 JMS Serial Mode Concurrency
  - 2.4.2 Sun SeeBeyond JMS FIFO Modes
  - 2.4.3 Serialising business processes with XA
- 2.5 Message Expiration 2-60
- 2.6 Data Streaming 2-64
  - 2.6.1 Batch Local File Streaming
  - 2.6.2 eTL Streaming
- 2.7 Chapter Summary 2-87

### **Chapter 3 Messaging Infrastructure 3-1**

- 3.1 Chapter Contents 3-1
- 3.2 Sun SeeBeyond JMS IQ Manager 3-1
  - 3.2.1 Temporary JMS Destinations
    - 3.2.1.1 Static Selector
    - 3.2.1.2 Dynamic Selector
- 3.3 Resilient JMS with JMS Grid 3-17
- 3.4 Datatype Channel 3-22
  - 3.4.1 JMS Message Body Formats
  - 3.4.2 Dead Letter Channel in 5.1.2
- 3.5 Guaranteed Delivery 3-37
  - 3.5.1 eInsight Guaranteed Delivery
    - 3.5.1.1 eInsight XA Transactionality
    - 3.5.1.2 eInsight Persistence
- 3.6 Chapter Summary 3-52

### **Chapter 4 Message Routing 4-1**

- 4.1 Chapter Contents 4-1
- 4.2 Resequencer 4-1
  - 4.2.1 Resequencer: Basic Version
  - 4.2.2 Resequencer: Persisted Version
- 4.3 Routing Slip 4-11
- 4.4 Chapter Summary 4-19

## **Chapter 5 Message Construction 5-1**

- 5.1 Chapter Contents 5-1
- 5.2 Envelope Wrapper 5-1
  - 5.2.1 JMS User Properties Envelope Wrappers
    - 5.2.1.1 Reading JMS User Properties in a JCD
    - 5.2.1.2 Setting JMS User Properties in a JCD
    - 5.2.1.3 Reading JMS User Properties in a BP
    - 5.2.1.4 Setting JMS User Properties in a BP
- 5.3 Chapter Summary 5-14

## **Chapter 6 Message Transformation 6-1**

- 6.1 Chapter Contents 6-1
- 6.2 Content Enricher 6-1
- 6.3 Chapter Summary 6-15

## **Chapter 7 Messaging Endpoints 7-1**

- 7.1 Chapter Contents 7-1
- 7.2 Polling Consumer 7-1
  - 7.2.1 Polling File System
    - 7.2.1.1 Poll for Single Local File
    - 7.2.1.2 Poll for Multiple Local Files
    - 7.2.1.3 Polling using Regular Expression
    - 7.2.1.4 Batch Inbound-based Poller
- 7.3 Durable Subscriber 7-26
- 7.4 Idempotent Receiver 7-33
- 7.5 Multi-Input Service Activator 7-38
- 7.6 Chapter Summary 7-46

## **Chapter 8 System Management 8-1**

- 8.1 Chapter Contents 8-1
- 8.2 Java CAPS Monitoring and Management 8-1
  - 8.2.1 Monitoring eInsight-based solutions
  - 8.2.2 Event Notification with Alert Agent
    - 8.2.2.1 Simple Alert Processor for a JMS Channel
    - 8.2.2.2 Catching “uncatchable” Exceptions
  - 8.2.3 Java Management Extensions (JMX)
    - 8.2.3.1 Programmatic Management
  - 8.2.4 Instrumenting Performance Data Collection
    - 8.2.4.1 JMS Latency
- 8.3 Chapter Summary 8-41

## **Chapter 9 Message Correlation 9-1**

- 9.1 Chapter Contents 9-1
- 9.2 eInsight Correlation Processor: First Cut 9-1
- 9.3 Correlation Identifier 9-10
- 9.4 eInsight Correlation Processor: Second Cut 9-10
- 9.5 Derived Correlation Identifiers 9-14
- 9.6 Derived Correlation Identifiers: Alternative 9-35
- 9.7 Message Relationship Patterns 9-37
  - 9.7.1 Header-Items-Trailer Correlation
  - 9.7.2 Any Order Two Items Correlation
  - 9.7.3 Any Order Two Items Correlation with Timeout
  - 9.7.4 Items-Trailer Correlation
  - 9.7.5 Header Counted Items Correlation
  - 9.7.6 Counted and Timed Items Correlation
  - 9.7.7 Timed Items Correlation
  - 9.7.8 Scatter Gather Correlation
- 9.8 eGate Correlation with Dynamic Selectors 9-79
  - 9.8.1 Items-Trailer Correlation
- 9.9 Chapter Summary 9-86

## **Chapter 10 Reusability 10-1**

- 10.1 Chapter Contents 10-1
- 10.2 Using New Web Service Collaborations 10-1
- 10.3 Using eInsight Subprocesses for Reusability 10-9
  - 10.3.1 Request/Response Subprocess
  - 10.3.2 OneWayOperation Subprocess
  - 10.3.3 Notification Subprocess
- 10.4 Using eInsight Web Services for Reusability 10-27
- 10.5 Chapter Summary 10-31

## **Chapter 11 Scalability and Resilience 11-1**

- 11.1 Chapter Contents 11-1
- 11.2 Exception Handling 11-1
  - 11.2.1 Exceptions in Java Collaborations
    - 11.2.1.1 JMS-triggered Java Collaborations
    - 11.2.1.2 Other Java Collaborations
  - 11.2.2 Faults in Business Processes
    - 11.2.2.1 JMS-triggered Business Processes
    - 11.2.2.2 Fault Handlers
- 11.3 Chapter Summary 11-37

## **Chapter 12 Security Features 12-1**

- 12.1 Chapter Contents 12-1
- 12.2 Secure Sockets Layer (SSL, TLS) 12-1
  - 12.2.1 HTTP eWay Client and Server projects
    - 12.2.1.1 HTTP Server/Responder
    - 12.2.1.2 HTTP Listener Port Assignments
    - 12.2.1.3 HTTP eWay Clients
  - 12.2.2 HTTP eWay Clear Text Channel
    - 12.2.2.1 Configuring the Server
    - 12.2.2.2 Configuring the Client
    - 12.2.2.3 Exercising the Channel
  - 12.2.3 HTTP eWay Server-side Authentication
    - 12.2.3.1 Configuring the Server
    - 12.2.3.2 Configuring the Client
    - 12.2.3.3 Exercising the Channel
  - 12.2.4 HTTP eWay Mutual Authentication
    - 12.2.4.1 Configuring the Server
    - 12.2.4.2 Configuring the Client
    - 12.2.4.3 Exercising the Channel
    - 12.2.4.4 Host Name Verification
  - 12.2.5 SSL in Java CAPS HTTP eWay Use Notes
  - 12.2.6 Strong Cipher Suites
  - 12.2.7 Web Services and SSL
    - 12.2.7.1 Web Service Client and Service
    - 12.2.7.2 Clear Text Channel
    - 12.2.7.3 Server-Side Authentication Channel
    - 12.2.7.4 Mutual Authentication Channel
    - 12.2.7.5 SSL in Java CAPS Web Services Notes
- 12.3 Chapter Summary 12-56

## **Chapter 13 Examples 13-1**

- 13.1 Chapter Contents 13-1
- 13.2 Web Service, Stored Procedures, and XA 13-1
  - 13.2.1 Overview
  - 13.2.2 Create Tables
  - 13.2.3 Populate Tables
  - 13.2.4 Create Stored Procedures
  - 13.2.5 Create eDesigner Project Hierarchy
  - 13.2.6 Create Stored Procedure OTDs
  - 13.2.7 Create the "New Web Service" Collaboration
  - 13.2.8 Create a WSDL for the Web Service
  - 13.2.9 Create a Business Process
  - 13.2.10 Create Connectivity Map
  - 13.2.11 Create and configure the Environment

- 13.2.12 Build and Deploy
- 13.2.13 Construct and verify execution environment
- 13.2.14 Invoke the Service along the "Happy Path"
- 13.2.15 Invoke the Service along the "Unhappy Path"
- 13.3 Example Travel Reservation 13-35
- 13.4 Chapter Summary 13-90

## **Chapter 14 Extra Material 14-1**

- 14.1 Chapter Contents 14-1
- 14.2 Handling Repeating Nodes in BPEL 14-1
- 14.3 XML Deep Parse versus Shallow Parse 14-12
- 14.4 Using Multi-Operation WSDL 14-18
- 14.5 Chapter Summary 14-29

## **Chapter 15 Cryptographic Objects 15-1**

- 15.1 Chapter Contents 15-1
- 15.2 Introduction 15-1
- 15.3 Installing OpenSSL tool 15-1
- 15.4 Installing CA Certificate 15-2
- 15.5 Creating Keys and Certificate Requests 15-8
- 15.6 Building PKCS#12 to JKS Conversion Tool 15-12
- 15.7 CA Issuing End-Use Certificates 15-15
- 15.8 Creating Keystores 15-19
- 15.9 Obtaining Another Set of Cryptographic Objects 15-28
- 15.10 Chapter Summary 15-28

## *Bibliography*